EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	0	(((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4102	(connect$4 same strength) and bundle and wir$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L2	1371	(connect$4 same strength)and (wir$4 near6 harness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L3	1371	(connect$4 same strength) and (wir$4 near6 harness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L4	2	(connect$4 same strength) and (wir$4 near6 harness) and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L5	12	(connect$4 same strength) and (wir$4 near6 harness) and layout and symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:33
L6	4586	(wir$4 near5 harness) and rout$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:46
L7	2884	((wir$4 near5 harness) and rout$6) and arrange$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:49
L8	6	((wir$4 near5 harness) same rout$6) and arrange$4 and connect$4 and "716"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:47

L9	281	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:49
L10	22	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:51
L11	19	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 05:53
L12	22	((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07
L13	0	(((wir$4 near5 harness) and rout$6) and arrange$4 and (connect$4 same strength) and sort$3 and (symbol or model$3 or component)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 06:07

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ Search Results   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

Results for "((wiring <and> harness <and> routing <and> component <and> connectivity <..."   ✉ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History   **Modify Search**

New Search   ((wiring <and> harness <and> routing <and> component <and> connectivity <and> s| [**Search**]

☐ Check to search only within this results set

» Key   **Display Format:**   ◉ Citation   ○ Citation & Abstract

IEEE JNL   IEEE Journal or
               Magazine

IET JNL   IET Journal or Magazine

IEEE CNF   IEEE Conference   **No results were found.**
               Proceeding
                                        Please edit your search criteria and try again. Refer to the Help pages if you need assistan
IET CNF   IET Conference   search.
               Proceeding

IEEE STD   IEEE Standard

                                                          Help   Contact Us   Privacy & :

                                                          © Copyright 2006 IEEE –